



PRODUCT CATALOGUE

INDUSTRIAL RANGE



wynns.net.au

TABLE OF CONTENTS



FUEL PRODUCTS.....	3
ENVIRO DIESEL FUEL TREATMENT & BIOCIDES (EDT)	4
ENVIRO PETROL TREATMENT & FUEL STABILISER (EPT)...	5
OIL.....	6
HEAVY DUTY CONCENTRATE FOR ENGINES.....	7
HYDRAULIC SYSTEMS CONCENTRATE.....	7
HIGH PERFORMANCE LUBRICANT SUPPLEMENT.....	8
GREASES.....	9
ULTRA HI-TEMP GREASE	10
MULTIFLEET GREASE.....	11
VARIPLEX MOLY GREASE	11
COOLANTS.....	12
HEAVY DUTY ENGINE COOLANT.....	13
AEROSOLS	14
VISCOTENE FG.....	15
SILICONE LUBE.....	16
RUST PENETRANT	17
MULTI-PURPOSE DEGREASER	17
THROTTLE BODY AND CARBY CLEANER.....	18
BRAKE CLEANER.....	19
SPECIALTY PRODUCTS.....	20
PURPLE POWER	20
VISCOTENE 5L.....	20



FUEL



BEFORE




AFTER

Petrol fuel injector spray pattern before Wynn's® treatment, & after.

- IMPROVES FUEL CONDITION**
- ADDS LUBRICITY**
- REDUCES WATER ENTRAPMENT**

FUEL PRODUCTS



ENVIRO DIESEL FUEL TREATMENT & BIOCIDES (EDT)

PRODUCT CODE	PACK SIZE	CARTON QTY
53110	5 L	3
53104	20 L	1
53102	200 L	1

Wynn's EDT is a premium diesel fuel treatment that provides low sulphur diesel fuel lubricity, cleans injectors and eliminates bacterial and algae growth.

PROPERTIES

- Provides superior corrosion protection
- Offers exceptional lubricity for reduced fuel system wear
- Suitable for conventional and common rail diesel systems with and without turbochargers
- Safe for particulate filter and all types of catalytic converters
- Provides superior level of injector cleanliness as shown by the Cummins L10 test Exceeds CSCA requirement for Peugeot XUD9 injector cleanliness
- Dissolves old highly oxidised oil

APPLICATIONS

- Wynn's EDT is suitable for use in all grades of diesel fuels and automotive distillates.
- It is ideally suited for dosing and treatment of bulk storage tanks, diesel engines in cars, trucks, tractors, buses, generators, marine engines, furnaces and boilers burning diesel fuels, distillate and residual fuels.

FUEL PRODUCTS



ENVIRO PETROL TREATMENT & FUEL STABILISER (EPT)

PRODUCT CODE	PACK SIZE	CARTON QTY
72520	20 L	1

Wynn's Enviro Petrol Treatment (EPT) is a premium fuel treatment that is ideal for bulk petrol fuel storage. It keeps fuel fresh for up to 24 months, kills harmful bacteria, and reduces water entrainment.

PROPERTIES

- Keeps fuel fresh for up to 24 months
- Cleans injectors and keeps them clean
- Adds lubricity for reduced fuel system wear
- Reduces emissions by improving combustion efficiency
- Improves fuel economy
- Kills harmful bacteria, yeast and fungi
- Reduces water entrainment and prevents stable emulsion formation
- Provides superior corrosion protection
- Removes water from fuel
- Safe for use with oxygen sensors, and common emission control measures including catalytic converters
- Enhances fuel stability when used at 1:2000L ratio

APPLICATIONS

- Wynn's EPT is suitable for use in all petrol engines including ethanol blends
- Ideal for bulk petrol fuel storage and can also be directly added to fuel tanks in trucks, tractors, buses and generators
- Recommended for marine engines in fishing boats and pleasure craft as they are more susceptible to water ingress

WHEN IT COMES TO PERFORMANCE, SAFETY AND FUEL ECONOMY, THE ENGINE IS THE HEART OF THE VEHICLE.



OIL



Dirty neglected Engine Oil System.



Well maintained Engine Oil System.




Neglected Engine Oil System - deposit build up around piston & rings reducing efficiency.



Well maintained Engine Oil System - rings free to move improving compression.

- REDUCE FRICTION AND WEAR**
- IMPROVE FUEL ECONOMY**
- INCREASE ENGINE CLEANLINESS**

OIL PRODUCTS



HEAVY DUTY CONCENTRATE FOR ENGINES

PRODUCT CODE	PACK SIZE	CARTON QTY
53362	5 L	3

Wynn's Heavy Duty Concentrate for Engines is a blend of scientifically formulated compounds such as corrosion inhibitors, oxidation inhibitors, detergents/dispersants and acid neutralisers combined with the unique Wynn's Friction Proofing® Package.

PROPERTIES

- Maintains engine cleanliness
- Disperses crankcase contaminants
- Prevents bearing corrosion
- Retards oil oxidation
- Prevents sulphur corrosion
- Reduces friction and wear on metal surfaces
- Reduced smoke emissions
- Quieter engine operation

APPLICATIONS

- Wynn's Heavy Duty Concentrate for Engines is suitable for all types of petrol and diesel engines in road transport, agriculture, earth moving, mining, marine and manufacturing industries.



HYDRAULIC SYSTEMS CONCENTRATE

PRODUCT CODE	PACK SIZE	CARTON QTY
58701A	5 L	3

Wynn's Hydraulic Systems Concentrate containing the unique Wynn's Friction Proofing® Package, is a hydraulic oil supplement formulated to prevent and control fluid leakage and improve pump life, while it revitalises seals and O-rings.

PROPERTIES

- Reduce friction, wear and heat in pumps and equipment
- Preserve hydraulic system cleanliness and reduce corrosion
- Minimise cavitation and air entrapment
- Prevent and control hydraulic oil system leaks
- Improve seal and O-ring life that cause system leaks
- Provide a unique blend of anti-wear/anti-foam additives

APPLICATIONS

- Wynn's Hydraulic Systems Concentrate is particularly suited to earth moving equipment, forestry/ logging equipment, paving equipment, hoists/jacks, and cranes.
- Suitable for rubbish disposal/ compactors, presses/ tube bending, winch drives/line tensioners and steering systems/bow thrusters.

OIL PRODUCTS



HIGH PERFORMANCE LUBRICANT SUPPLEMENT

PRODUCT CODE	PACK SIZE	CARTON QTY
59419	125 ML	24
59402	5 L	

Wynn's High Performance Lubricant Supplement is formulated to improve the performance and service life of extreme pressure gear oils.

PROPERTIES

- Reduce friction and wear
- Improve lubricant anti-scoring resistance
- Reduce gear oil temperature
- Quieten gear and bearing noises
- Provide increased anti-rust control lubricants

APPLICATIONS

- Suitable for heavily loaded automotive transmissions, differentials, final drives and oil filled hubs of heavy duty fleet/transport vehicles and trailers. Wynn's High Performance Lubricant Supplement can also be used in industrial gearboxes using extreme pressure or industrial gear oils.




GREASES

FORMULATED TO OUT PERFORM

SUITABLE FOR INDUSTRY AND FLEET APPLICATIONS

LONGER INTERVALS BETWEEN GREASING

GREASE PRODUCTS



ULTRA HI-TEMP GREASE

PRODUCT CODE	PACK SIZE	CARTON QTY
55580	450 G	12
55581	2.5KG TUB	6
55582	20KG PAIL	1
55583	180KG DRUM	1

Formulated to provide additional lubrication by bonding to metal surfaces, reducing friction and extending component life.

PROPERTIES

- Temperature range of -30°C to 200°C 620kg four ball weld load rating
- NLGI Grade No: 2 consistency, this grease is a lithium complex thickened, ruby red colour
- Maximum structure temperature 230°C
- Continuous operating temperature range -30°C to 180°C and up to 200°C intermittently
- Displays extremely good resistance to water wash-out
- Resists breakdown as a result of mechanical action
- Increases wheel & journal bearing life
- Prevents operating temperatures escalating under high load conditions
- Prevents rust & corrosion of metallic components under humid & wet conditions
- Prevents scuffing & galling through extreme-pressure & anti-wear properties
- Allows longer intervals between greasing
- Provides high extreme-pressure properties

APPLICATIONS

- Wynn's Ultra Hi-Temp Grease is suitable for industrial and automotive bearings, grease lubricated journal bearings, flexible gear couplings, shackles and torsion bars, oscillating bucket pins, lubrication of chassis components, clutch bearings and drive line bearings, cams, ways and sliding elements.
- It is also suitable for kingpins and bushes, walking beams, universal joints, ring feeders, turn tables and slack adjusters.

PREVENT RUST & CORROSION OF METALLIC COMPONENTS UNDER HUMID & WET CONDITIONS.

GREASE PRODUCTS



MULTIFLEET GREASE

PRODUCT CODE	PACK SIZE	CARTON QTY
51045	450 G	20
51020	20 KG	1

Wynn's Multifleet Grease, containing the unique Wynn's Friction Proofing® package, is formulated to NLGI Grade No. 3 consistency for heavy-duty and extreme-pressure applications within the transport, earthmoving, marine, rural and mining industries. Wynn's Multifleet Grease is a lithium soap thickened grease that provides high adhesion, water wash resistance, extreme shock load protection, high thermal and oxidation stability.

PROPERTIES

- Protects all moving parts from shock loadings
- Prevents scuffing and reduces wear
- Extends ball joint life
- High shear stability, resistance to mechanical shear
- Maintains grease consistency for extended lubrication service

APPLICATIONS

- Suitable for rural, mining and marine use, including tractors, pumps, mowers, harvesters, trucks, trailers, deck winches, drill rigs, excavators, dump trucks, jaw crushers, conveyors, and dozers.
- It is also suitable for shackles, torsion bars, universal joints, brake arms, turntables, general chassis points, bucket pins, slides, cams and gears.
- Compatible with most lithium soap thickened greases



VARIPLEX MOLY GREASE

PRODUCT CODE	PACK SIZE	CARTON QTY
80319	450 G	20
80321	20 KG	1

Wynn's Variplex Moly Grease, containing the unique Wynn's Friction Proofing® package, is a multi-purpose and broad temperature-range lubricating grease designed for industrial and automotive applications.

PROPERTIES

- High fluid-film strength in bearing applications
- Reduces industrial plant grease inventories and application equipment
- Exceptional shear stability that extends lubrication intervals
- Resists water washout in bearing and flat surface applications
- Meets the requirements of NLGI Grade No. 2
- Separates opposing metal surfaces to reduce wear
- Reduces operating temperatures under high load conditions

APPLICATIONS

- Recommended for plain, ball and roller bearings, including truck, buses, agricultural, marine, industrial and construction equipment.
- Compatible with most lithium soap thickened greases.



COOLANTS

RE-VITALISE COOLING SYSTEM
PROTECT AGAINST CLIMATE EXTREMES
EFFICIENCY AND PERFORMANCE

COOLING PRODUCTS



HEAVY DUTY ENGINE COOLANT

PRODUCT	PRODUCT CODE	PACK SIZE	CARTON QTY
GREEN CONCENTRATE	52505	205L	1
GREEN 50/50 PREMIX	54505	205L	1
RED CONCENTRATE	52510	205L	1
RED 50/50 PREMIX	54510	205L	1


Wynn's Heavy Duty Engine Coolant has been designed to meet the demanding requirements of modern cooling systems, including the rigorous requirements of the majority of OEM's.

PROPERTIES

- 10 years or 1,000,000 km service life (whichever comes first) when used as recommended
- Anti-boil protection
- Corrosion protection
- Anti-freeze protection
- Does not contain: Phosphates, Borates, Silicates, Amines, Nitrates or Tannins
- Wynn's Heavy Duty Engine Coolant exceeds the performance requirements of the Australian and New Zealand Standard AS/NZS 2108.1:2004 as a "TYPE A" coolant

APPLICATIONS

- Wynn's Heavy Duty Engine Coolant has been formulated for use in the cooling systems of petrol and diesel engines of cars, trucks, buses, off-road equipment, stationary engines and ships



Radiator using coolant vs radiator using water



AEROSOLS

MAXIMISE PERFORMANCE

IMPROVE LONGEVITY OF MACHINERY & VEHICLES

MINIMISE COMMON PROBLEMS IN VEHICLES

AEROSOL PRODUCTS



VISCOTENE FG

PRODUCT CODE	PACK SIZE	CARTON QTY
79880	375 G	12

Wynn's Viscotene FG is a semi-synthetic lubricant displaying tenacious resistance to water wash-off, chemical attack and steam exposure. It contains extremely tacky polymers of very high viscosity index, high film-strength surface-active compounds, oxidation and corrosion inhibitors.

This, combined with the Wynn's Friction Proofing® package of extreme pressure compounds, significantly reduces the possibility of extreme wear, seizing and at worst, failure of the lubricated components.

PROPERTIES

- Overall wear reduction
- Reduced corrosion and water wash out
- Increased lubrication intervals
- Reduces spattering and noise
- Performs well under a broad range of operating temperatures

APPLICATIONS

- Conveyor systems, open gears, chains, belts and elevators
- Wire ropes and blocks
- Hydraulic press guide columns
- Open sprockets and chains on concrete mixers
- Constant velocity joints
- Chain drive of bicycles, motorcycles and chainsaws
- Machine tool lead screws, ways and tables
- Any general lubrication exposed to water, steam or chemicals
- Suitable for use in the construction, transport, marine, rural and all manufacturing industries
- AsureQuality approved for incidental food contact

WILL MAINTAIN ADHESION EVEN UNDER SEVERE CONDITIONS AND WHEN EXPOSED TO CHEMICALLY HARSH ENVIRONMENTS.

AEROSOL PRODUCTS



SILICONE LUBE

PRODUCT CODE	PACK SIZE	CARTON QTY
52850	290 G/550 ML	12

Wynn's Silicone Lube is a unique blend of silicone oils, spreading and penetrating agents, and special solvents that are non-flammable. Minute film of Wynn's Silicone Lube lowers the static co-efficient of friction force and prevents stick-slip operation. As it leaves a relatively dry surface after application, work pieces or surrounds which would normally be sensitive to ordinary lubricating oil residue, remain free of contamination.

PROPERTIES

- Lubricates metals, plastics, wood, thread, fabrics, paper and numerous other materials
- Non-gumming, non-staining, non-oxidising, and non-flammable
- Prevents corrosion
- Prevents adhesion
- Functions as excellent release or parting agent
- Controls static electricity
- Repels water

APPLICATIONS

- Wynn's Silicone Lube is suitable for numerous purposes, including sewing machines, windows, drawers, zippers, scissors, saws, perforators, hinges, locks, conveyors, contactors and circuit breakers, conduits and cable harnesses, and electrical equipment exposed to humid environments.

WATERPROOFS & ELIMINATES SQUEAKS, NON-STAINING FORMULA, AND PREVENTS ADHESION BETWEEN SURFACES.

AEROSOL PRODUCTS



RUST PENETRANT

PRODUCT CODE	PACK SIZE	CARTON QTY
31040	400 G/550 ML	20

Wynn's Rust Penetrant is an all-purpose aerosol spray lubricant that stops squeaks to give a return to smooth and quiet operations.

PROPERTIES

- Quickly loosens corroded parts
- Cleans various surfaces
- Lubricates moving parts
- Stops squeaks
- Protects from rust and corrosion
- Repels moisture to help prevent damage
- Penetrates corrosion to help free rusted part
- Wynn's Rust Penetrant will not harm varnish, metal or painted surfaces

APPLICATIONS

- Wynn's Rust Penetrant is ideal for tools, machinery, marine parts, lawnmowers and farm implements.



MULTI-PURPOSE DEGREASER

PRODUCT CODE	PACK SIZE	CARTON QTY
66911	641 G/840 ML	12

Wynn's Multi-Purpose Degreaser is designed to remove oil and grease from engines, alloy wheels, boats, trailers, bikes, lawn mowers, garage floors, paths and driveways.

PROPERTIES

- Large 840mL can
- Industrial strength formulation
- Dissolves oil and grease
- Safe on hands
- Easily applied
- Easy and safe to use in most applications
- Spray on and hose-off with water
- Provides protection over a wide range of operating temperatures
- Reduces operating temperatures under high load conditions

APPLICATIONS

- Wynn's Multi-Purpose Degreaser is suitable for cars, boats, trailers and barbecues.

AEROSOL PRODUCTS



THROTTLE BODY AND CARBY CLEANER

PRODUCT CODE	PACK SIZE	CARTON QTY
54211	840 ML	12

Wynn's Throttle Body and Carby Cleaner is professionally formulated to safely remove gum and varnish from air throttle plates and throttle plate shafts.

Wynn's Throttle Body and Carby Cleaner helps restore engine performance by quickly removing gums and varnishes from the carburettor and restoring carburettor efficiency without the need to dismantle.

PROPERTIES

- Restores fuel economy and engine performance
- Safely blasts away gum and varnish deposits
- Cleans throttle plates and throttle plate shafts
- Improves air flow for smoother idling
- Restore fuel economy
- Protects against rust and corrosion
- Dissolves internal and external carburettor deposits
- Frees sticking crankcase ventilation valves
- Safe for oxygen sensors and catalytic converters

APPLICATIONS

- Suitable for all petrol fuel systems and is ideal for cars, trucks, tractors, earthmoving equipment and farm machinery

CLEANS THE "DRY PART" OF THE DIESEL FUEL SYSTEM WITHOUT DISMANTLING, THOROUGHLY.

AEROSOL PRODUCTS



BRAKE CLEANER

PRODUCT CODE	PACK SIZE	CARTON QTY
62911	538 G / 840 ML	12

Wynn's Non-Chlorinated Brake Cleaner removes brake fluid, grease and brake dust quickly and safely, leaving no residue. It's a low-toxicity non-chlorinated solvent that is also ideal for parts and electrical contacts.

PROPERTIES

- Does not contain chlorinated solvents
- Removes brake fluid, grease and oil
- Suitable for disc and drum brakes
- Helps stop brake squeal
- Short drying time
- Cleans tools and parts quickly
- Removes brake lining dust without disassembly
- Safely cleans electrical components
- Improves brake performance
- Leaves no residue

APPLICATIONS

- Wynn's Brake Cleaner is recommended for cleaning of brake components including, brake linings, rotors, disc pads and drums.
- Wynn's Non-Chlorinated Brake Cleaner safely cleans and degreases electrical starter motors, brake components, electric terminals, tools and other workshop equipment when they are not electrically energised.

A LOW-TOXICITY NON-CHLORINATED SOLVENT THAT IS ALSO IDEAL FOR PARTS AND ELECTRICAL CONTACTS.

SPECIALTY PRODUCTS



PURPLE POWER

PRODUCT CODE	PACK SIZE	CARTON QTY
69620	20 L	1

Wynn's Purple Power is a concentrated heavy-duty degreaser that is non-toxic and biodegradable, and provides good stability in all types of water (salt, hard and soft).

PROPERTIES

- Suitable in fresh and salt water
- Effectively removes petroleum oils & greases, animal and vegetable oils
- Is non-toxic and bio-degradable

APPLICATIONS

- Can be used neat or diluted with hot or cold water depending on application
- Can be used through a pressure spray & for steam cleaning
- Wynn's Purple Power is suitable for general surface cleaning, steam cleaning and pressure cleaning and for cargo and storage tanks and alloy wheels. It can be used neat or diluted with hot or cold water depending on application. It also can be used through a pressure spray and steam cleaning equipment.



VISCOTENE 5L

PRODUCT CODE	PACK SIZE	CARTON QTY
80005	5 L	3

Wynn's Viscotene is a strongly adhesive and highly viscous semi-synthetic lubricant that is exceptionally water repellent. Combined with the unique Wynn's Friction Proofing® Package, Wynn's Viscotene has outstanding viscosity characteristics over a wide range of temperatures.

PROPERTIES

- Provide tenacious resistance to water wash-off, chemical attack and steam exposure
- Provide extreme-pressure and anti-wear for high load carrying capability
- Reduce lubricant consumption
- Extend maintenance intervals

APPLICATIONS

- Where tenacious adhesion and unusual viscosity is needed
- Conveyor systems, open gears, chains, belts and elevators
- Where lubricant splatter must be avoided
- Wire ropes and blocks
- Hydraulic press guide columns
- Open sprockets and chains, as seen on concrete mixers
- Constant velocity joints
- Where hot or cold water, steam or chemicals are a problem



wynns.net.au