

PROFESSIONAL RANGE

wynns.net.au

D

BÌ

A/C

~

97

P R N D

SERVICE PROGRAMS



FUEL SYSTEM SERVICE

- Completely cleans the entire fuel system including the fuel lines, fuel injectors, intake valves, combustion chambers, throttle plate & valves
- Restores the fuel system to optimise fuel economy, performance & minimise emissions
- Wynn's[®] fuel products do not contain aggressive solvents which can attack polymeric seals

A/C

AIR CONDITIONING SERVICE

- Destroys mould & bacterial growth in the Air Conditioning System
- Eliminates allergic reactions
- Eliminates eye, throat & bronchial infections
- Eliminates unpleasant cabin odours
- Maintains cleanliness of Air Conditioning System & vented cabin air for up to 12 months

POWER STEERING SERVICE

- Using the Wynn's® Power Steering Flush Machine, the Power Steering System will be thoroughly cleaned & flushed, with the addition of Wynn's® Power Steering Treatment to the new fluid, your steering will be fully restored
- Noticeably improved steering assistance
- Reduces noise, leaks, vibration, stiffness & conditions the seals

COOLING SYSTEM SERVICE

- Thoroughly cleans & revitalises your cooling system internally. It replaces up to 95% of your old coolant & safely removes damaging deposits from the engine, radiator, heater core & hoses
- Helps prevent corrosion, cavitation & lubricates the water pump to prolong pump life
- Following the service, the engine is fully protected against the extremes of our climate

ENGINE LUBRICATION SERVICE

- Wynn's[®] Engine Flush cleans the complete oil system without the use of aggressive & potentially damaging solvents
- Wynn's[®] World Patented Friction Proofing technology ensures ultimate protection for engine components and is compatible with mineral and synthetic oils, ensuring no drop-out or separation

AUTOMATIC TRANSMISSION SERVICE

- Removes over 95% of old, contaminated fluid
- Safely removes sludge, varnish & debris from the transmission, torque converter, cooler lines & cooler
- Revitalises seals & O-rings to stop & help prevent future leaks

TABLE OF CONTENTS



PETROL

| 43806 | Petrol Octane Boost | 02 |
|-------|-------------------------------|----|
| 10677 | Premium Fuel System Kit | 02 |
| 54211 | Throttle Body & Carby Cleaner | 03 |
| 29879 | Petrol EGR3 Extreme Cleaner | 03 |
| 71821 | Inject-A-Clean | 04 |
| 29079 | DPF & GPF On-Car Cleaner | 04 |

DIESEL

| 15 | 405 | Diesel System Purge | 6 |
|----|------|--|----|
| 23 | 478 | Diesel EGR 4 | 7 |
| 18 | 764 | DPF CLEANER | 8 |
| 18 | 8774 | DPF FLUSH | 8 |
| 31 | 592 | Diesel Turbo & DPF Cleaner & Regenerator | 9 |
| 10 | 382 | Diesel Filter Recharge Kit | 10 |
| 38 | 295 | Diesel Turbo Serve | 10 |
| 10 | 518 | Diesel Purge Kit | 11 |
| 23 | 405 | Diesel Induction System Cleaner | 11 |
| | | | |

OIL

| 61810 | Friction Proofing | 13 |
|-------|-----------------------------------|----|
| 65901 | Engine Flush | 13 |
| 67001 | Diesel Engine Flush | 14 |
| 59419 | High Perfomrance Lub Supplement | 14 |
| 51144 | Hydraulic Lifter Treatment | 15 |
| 67301 | Worn Engine Treatment | 15 |
| 50677 | Engine Sealant | 16 |
| 64101 | LS Differential Friction Modifier | 16 |

GREASE

| 55580 | Ultra Hi-temp Grease | 18 |
|-------|----------------------|----|
| 51045 | Multifleet Grease | 19 |
| 80319 | Variplex Moly Grease | 20 |

COOLANTS

| 52520 HD Engine Coolant Green Concent | rate 22 |
|--|---------|
| 53520 HD Engine Coolant Red Concentra | ate 22 |
| 53512 HD Engine Coolant Blue Concentra | ate 22 |
| 10197 Radiator System Flush Kit | 23 |

AEROSOLS

| 54211 Throttle Body and Carby Cleaner | 25 |
|---------------------------------------|----|
| 62911 Brake Cleaner | 25 |
| 79880 Viscotene FG | 26 |
| 31040 Rust Penetrant | 26 |
| 66911 Multi-purpose Degreaser | 27 |
| 52850 Silicone Lube | 27 |

AIR CONDITIONING

| 30205 | AIRCO-CLEAN | 29 |
|-------|--------------------------|----|
| 31705 | AIR Purfier | 30 |
| 16321 | Airco Fresh ⁺ | 31 |

AUTOMATIC TRANSMISSION

| 10210 Transmission Flush Kit | 33 |
|----------------------------------|----|
| 10310 CVT Transmission Flush Kit | 34 |

POWER STEERING

| 10091 | Power Steering Flush Kit | 36 |
|-------|---------------------------|----|
| 64805 | Power Steering Supplement | 37 |

MACHINES

| 68443 MultiSERVE® | 39 |
|---|----|
| 68435 Coolant Exchange Machine | 40 |
| 68441 TransSERVE® Auto Flush and Fill Machine | 41 |
| 22001 Power Steering Flush Machine | 42 |
| 68480 AIRCOMATIC® | 43 |

Disclaimer: Always consult the Product Data Sheet for full directions and the Safety Data Sheet to identify relevant hazards, PPE etc for the safe use of these products. Please refer to wynns.net.au for more information.



PD PETROL



Petrol fuel injector spray pattern before Wynn's® treatment, & after.

AFTER

IMPROVES FUEL ECONOMY MINIMISES EMISSIONS INCREASES POWER AND MAXIMISES PERFORMANCE

PETROL PRODUCTS







| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 43806 | 325 ML | 24 |

Wynn's Octane Boost is a specifically formulated, non-leaded fuel additive that increases the octane number of any grade of petrol used. It provides a noticeable improvement to engine power and performance and upper cylinder lubrication.

PROPERTIES

- Improves engine performance and acceleration
- Increase Research Octane number (RON) by up to 5 units
- Improves fuel efficiency
- Provides upper cylinder lubrication
- Stops pinging of petrol engines
- Avoids mechanical damage caused by pinging (engine knocking)
- Prevents valve seat wear
- Safe for catalytic converters and oxygen sensors
- Safe for use in turbocharged engines

APPLICATIONS

Recommended for use in all grades of petrol.

• Add Wynn's Octane Boost directly to the fuel tank. One 325mL bottle treats most standard petrol vehicles.



PREMIUM FUEL SYSTEM KIT

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|--|------------|
| 10677 | 1 X 61001 (325 ML) 1 X 61515 (500 ML) | 6 |

Wynn's Petrol Inject-A-Clean (Product No 61001) is a premium petrol fuel treatment that has been developed for direct fuel injection and high pressure systems, whilst still being compatible with traditional injection systems.

Wynn's Ultra Power 3 (Product No 61515) is professionally formulated to safely clean intake valves, fuel injectors and combustion chambers.

Wynn's Ultra Power 3 is an easy to use, safe and effective service solution to fuel system contamination issues in modern, engine management controlled vehicles.

DO NOT USE IN ANY OTHER MACHINE.

Products available for individual sale.

PROPERTIES

- Cleans intake valves, fuel injectors, and combustion chambers
- Restores lost power and fuel economy
- Lubricates and conditions injectors
- Protects against rust and corrosion
- Eliminates engine surging, stalling and hesitation
- Reduces exhaust emissions
- Safe for oxygen sensors and catalytic converters

APPLICATIONS

- For all petrol systems with carburettor or injection
- Recommended treatment every 15,000 to 20,000km or when experiencing problems of irregular idling, poor accelerating or excessive exhaust emissions
- DO NOT add Ultra Power 3 to fuel tank.

PETROL PRODUCTS







THROTTLE BODY & CARBY CLEANER

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 54211 | 840 ML | 12 |

Wynn's Throttle Body & Carby Cleaner is professionally formulated to safely remove gum and varnish from air throttle plates and throttle plate shafts.

Wynn's Throttle Body & Carby Cleaner helps restore engine performance, by quickly removing gums and varnishes from the carburettor and restoring carburettor efficiency without the need to dismantle.

PROPERTIES

- Cleans air throttle plates and throttle plate shafts
- Safely blasts away gum and varnish deposits
- Improves air flow for smoother idling
- Restores fuel economy
- Protects against rust and corrosion
- Dissolves and removes external and internal carburettor deposits
- Restores proper carburettor operation and efficiency
- Frees sticking automatic choke assemblies
- Cleans positive crankcase ventilating valves on direct application
- Contains no CFC's which have been proven to be harmful to the ozone layer
- Safe for oxygen sensors and catalytic convertors

APPLICATIONS

• Wynn's Throttle Body & Carby Cleaner is ideal for cars, trucks, tractors, earthmoving equipment and farm machinery. It is recommended for removal of fuel system deposits found on: intake valves; fuel injectors; air intake systems; manifolds; combustion chambers; and throttle bodies. It also works on carburettors, automatic chokes and positive crankcase ventilator (PCV) valves, in all two and four cycle petrol engines.





PETROL EGR 3 EXTREME CLEANER

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 29879 | 200 ML | 12 |

Wynn's Petrol EGR3 Extreme Cleaner provides immediate thorough cleaning of the air intake system, airflow sensor, inlet valves and EGR systems.

PROPERTIES

- Restores or maintains the engine performance
- Provides a regular and stable idle
- Eliminates and avoids starting problems
- Improves acceleration properties
- Powerful jet spray to support cleaning action
- · Easy to use
- Cleaning takes only 5 minutes, no dismantling of components necessary
- Is harmless to catalytic convertors sensors & GPF

APPLICATIONS

• Suitable for cleaning the air intake manifold, inlet valves, airflow sensor and EGR system of all petrol engines. It is recommended to be used at each service interval to maintain cleanliness.

PETROL PRODUCTS





| INJECT-A- | CLEAN | |
|--------------|-----------|--------|
| PRODUCT CODE | PACK SIZE | CARTON |
| 71821 | 325 ML | 24 |

Wynn's Inject-A-Clean thoroughly cleans fuel injectors without the need for disassembly. It absorbs condensation in the fuel tank and prevents rust and corrosion of the injector system.

Wynn's Inject-A-Clean lubricates the pump, fuel regulator and injectors, reduces wear and prevents seizing of the mechanical parts of the system.

PROPERTIES


- Cleans and protects common rail systems against excessive fouling, wear and water contamination damage
- Cleans injectors
- Restores and maintains ideal injector spray pattern
- Improves acceleration and fuel consumption
- Prevents rust and corrosion
- Reduce exhaust emissions
- Restores stable idle and acceleration

APPLICATIONS

QTY

- Wynn's Inject-A-Clean is suitable for all petrol, LPG and diesel engines.
- Wynn's Inject-A-Clean is safe for both oxygen sensors and catalytic converters
- Add Wynn's Inject-A-Clean bottle to fuel tank





DPF & GPF ON-CAR CLEANER

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|----------------|------------|
| 29079 | 500 ML / 510 G | 12 |

Wynn's DPF & GPF On-Car Cleaner with its low foam, non-flammable formulation has been specially developed to allow workshops to clean out soot and other contaminants and restore Particulate Filters in diesel and petrol vehicles in a safe, fast and efficient way without the need to remove the filter from the vehicle. No need to carry different products for different particulate filters, this one does them all.

PROPERTIES

- Removes soot and ash deposits from blocked diesel & gasoline particulate filters
- Non-flammable formulation
- No need to remove the particulate filter from the vehicle

APPLICATIONS

 Diesel, Petrol and Hybrids engines with a DPF or GPF fitted to the exhaust, including passenger vehicles, commercial vehicles, off-highway vehicles (excavators, tractors, agricultural and mining vehicles), plant equipment, generators, etc



DIESEL





Diesel fuel injector spray pattern before Wynn's® treatment, & after.

REDUCE ENGINE NOISE INCREASE LUBRICATION RESTORES ENGINE POWER

CLICK TO VIEW CONTENTS PAGE

WYNN'S PRODUCT CATALOGUE | 5







DIESEL SYSTEM PURGE

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 15405 | 500 ML | 12 |
| 15401 | 1L | 12 |

Wynn's Diesel System Purge is a highly concentrated diesel fuel system cleaner, designed to restore lost power, improve fuel efficiency and reduce emissions.

PROPERTIES

- Cleans injectors, pump and combustion chambers
- Restores the injector spray pattern and improves combustion
- Improves fuel economy and reduces emissions of noxious exhaust gases and soot
- Safe to use with oxygen sensors, DPF and other emission controls

APPLICATIONS

- Suitable for all diesel injection systems on cars and trucks with or without turbocharger
- Recommended treatment every 15,000 to 20,000km or when experiencing problems of fouled injectors, heavy black smoke, irregular idling, bad accelerations, etc

DIRECTIONS


- Wynn's Diesel System Purge is formulated for use with Wynn's MultiSERVE® machine (Product No 68443) as directed in the equipment manual
- Do not add to the fuel tank

DIESEL INJECTOR DEPOSIT POINTS

- Internal Diesel Injector Deposits (IDID)
 - Control valve plunger
 - Needle guide
 - Above the needle seat

Cause of significant performance prol

- 'Conventional' Deposits
 - Deposits inside spray channel reduce the hydraulic flow leading to a loss of power
 - Injector tip deposits adversely affect the fuel spray leading to increased emissions and fuel consumption







Wynn's Diesel EGR 4 has been developed to clean the air intake manifold inlet valves and EGR valves of diesel engines.


Wynn's Diesel EGR 4 cleans the 'dry part' of the diesel fuel system without dismantling. Wynn's Diesel EGR4 can also be used to clean dismantled parts such as the EGR valve thoroughly.

PROPERTIES

- Immediate thorough cleaning of air intake system and inlet valves
- Cleans the EGR valve and connecting tube between EGR valve and air intake manifold
- Dissolves gum, lacquer and carbon deposits
- Restore optimal air flow towards the combustion chamber
- Improves fuel economy
- Eliminates and avoids irregular idle and hard starting
- Improves acceleration
- Safe to use with oxygen sensors, DPF and other emission controls

APPLICATIONS

- Can be used to clean the air intake system of common diesel engines in passenger cars and small diesel trucks and is recommended to be used at each service interval to maintain cleanliness
- NB: Wynn's Diesel EGR 4 is not suitable for Boxer style engines





150a NET





| | Ь١ | |
|---|----|--|
| Ľ | U | |
| | | |

DPF CLEANER

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 18764 | 1L | 12 |

Wynn's DPF Cleaner has been specially developed for the treatment of diesel particulate filters (DPF) that are clogged due to excessive deposits and can not be regenerated using standard methods. It is designed for exclusive use with the Wynn's MultiSERVE® machine (Product No 68443).

DO NOT USE IN ANY OTHER MACHINE



| D | | |
|---|----------|----|
| | <u> </u> | |
| | | IJ |

DPF FLUSH

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 18774 | 1L | 12 |

Wynn's DPF Flush has been specially formulated as a DPF rinsing fluid. It must always be used after treatment with Wynn's DPF cleaner. It is designed for exclusive use with the Wynn's MultiSERVE[®] machine (Product No 68443).

DO NOT USE IN ANY OTHER MACHINE

PROPERTIES

- Removes most deposits in DPF
- Reduces the back pressure in the exhaust system
- Restores correct engine operation and helps remove limp mode and fault codes
- Does not affect the properties of the catalyst elements in the walls of the filters
- Biodegradable

APPLICATIONS

Suitable for all diesel engine particulate filters that have severe clogging problems

DIRECTIONS

- Wynn's DPF Cleaner is designed for exclusive use with the Wynn's MultiSERVE[®] machine (Product No 68443) as directed in the equipment manual
- Do not use in any other machine
- Do not add to diesel fuel tank

PROPERTIES

- Ashless formula
- Metal and combustion catalyst free
- Doesn't affect the properties of the catalyst elements in the walls of the filters
- Biodegradable

APPLICATIONS

Suitable for all diesel engine particulate filters that have severe clogging problems

DIRECTIONS

- Wynn's DPF Flush is designed for exclusive use with the Wynn's MultiSERVE[®] machine (Product No 68443) as directed in the equipment manual
- Do not use in any other machine
- Do not add to diesel fuel tank

FORMULATED TOGETHER TO **COMPLETELY CLEAN** THE DPF.







DIESEL TURBO AND DPF CLEANER AND REGENERATOR

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 31592 | 325 ML | 24 |

Wynn's Turbo and DPF Cleaner and Regenerator is formulated for diesel engines to clear blocked particulate filters and reduces soot emissions.


PROPERTIES

- Cleans and regenerates a blocked diesel particulate soot filter without dismantling
- Decreased soot build-up
- Reduces the combustion temperature of soot so that soot particles burn faster and at a lower temperature
- Restores engine power
- Avoids frequent maintenance costs related to the manual regeneration of the blocked soot filter
- Especially suited for city driving cycles
- Can be used in combination with built-in regeneration systems
- Has a cleaning effect on the exhaust side of the turbo

APPLICATIONS

Suitable for diesel engines with all types for DPF, diesel and bio diesel up to B30.

STRUCTURE OF A TYPICAL DIESEL PARTICULATE FILTER









DIESEL FILTER RE-CHARGE KIT

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|--|------------|
| 10382 | 1 X 53501 (325 ML) 1 X 15601 (325 ML) | 6 |

Wynn's Diesel Re-Charge Kit includes two highly concentrated and highly effective products specifically formulated for cleaning diesel fuel systems Wynn's Diesel Filter Re-charge (Product No 15601) removes diesel injector and combustion chamber deposits. Wynn's Diesel Inject-A-Clean with Biocide (Product No 53501) will clean your complete fuel system from the diesel tank through to the exhaust.

Products available for individual sale.

PROPERTIES

- Maximises fuel economy
- Improves acceleration
- B10 compatible
- Helps prevent 'diesel bug'
- Cleans injectors and restores proper injector spray pattern
- Reduces emissions and exhaust particulates
- Compensates for lack of lubricity in low sulphur fuels
 Safe to use with oxygen sensors, DPF and other
- Safe to use with oxygen sensors, DPF and other emission controls

APPLICATIONS

- Suitable for use in all grades of automotive diesel fuel
- It is recommended for use every 15,000 to 20,000 km
- Wynn's Filter Re-charge kit is particularly effective in bio diesel fuelled vehicles

PROPERTIES

- Re-establishes engine power and throttle response
- Extends the life of the turbo and the diesel oxidation catalyst
- Reduces soot emissions

APPLICATIONS

Suitable for all diesel engines with a turbocharger

DIRECTIONS

- Wynn's Diesel Turbo Serve is designed for exclusive use with the Wynn's MultiSERVE[®] machine (Product No 68443) as directed in the equipment manual
- Do not use in any other machine
- Do not add to diesel fuel tank

| DIESEL TURBO SERVE | |
|--|---------------|
| And Sect Turks Source activation for the first of Section Sect | entertration. |
| Nor TO BE TAKEN | |



DIESEL TURBO SERVE

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 38295 | 1L | 12 |

Wynn's Diesel Turbo Serve is a specialist product designed as a powerful cleaner of the exhaust side of the turbocharger to remove carbon and oily deposits and to release sticking variable vanes. It is designed for exclusive use with the Wynn's MultiSERVE[®] machine (Product No 68443).

DO NOT USE IN ANY OTHER MACHINE.







DIESEL PURGE KIT

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|--|------------|
| 10518 | 1 X 53501 (325 ML) 1 X 15405 (325 ML) | 6 |

Wynn's Diesel System Purge (Product No 15405) is a highly concentrated diesel fuel system cleaner, designed to restore lost power, improve fuel efficiency and reduce emissions.

Wynn's Diesel Inject-A-Clean with Biocide (Product No 53501) is a premium diesel fuel treatment for diesel engines (including direct injection fuel systems) equipped with a common rail system or pump injectors.

Products available for individual sale.



DIESEL INDUCTION SYSTEM CLEANER

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 23405 | 500 ML | 12 |
| 23401 | 1L | 12 |

Wynn's Diesel Induction System cleaner has been developed to clean the entire induction system including the air intake manifold, inlet valves, EGR valves, throttle plate, turbocharger, supercharger intercooler and DPF.

PROPERTIES

- Cleans injectors, pump & combustion chambers
- Restores the injector spray pattern & improves combustion
- Improves fuel economy and reduces emissions of noxious exhaust gases & soot
- Safe to use with oxygen sensors, DPF & other emission controls

APPLICATIONS

- For all diesel injection systems on cars & trucks with or without turbochargers
- Recommended treatment every service / 12 months or when experiencing problems of fouled injectors, heavy black smoke, irregular idling, bad acceleration, etc

PROPERTIES

- Provides immediate thorough cleaning of air intake system and inlet valves
- Cleans the EGR valve and connecting tube between EGR valve and air intake manifold
- Dissolves gum, lacquer and carbon deposits
- Reduces black exhaust emissions
- Restores optimal air flow towards the combustion chamber
- Improves fuel economy
- Eliminates and avoids irregular idle and hard starting
- Improves acceleration
- Safe to use with oxygen sensors, DPF and other emission controls

APPLICATIONS

- Recommended to be used at each service interval or as required to maintain cleanliness. This can be achieved with the components in place
- Wynn's Diesel Induction System Cleaner is administered via the Wynn's MultiSERVE[®] (Product No 68443) as directed in the equipment manual
- Do not add to fuel tank
- Use in conjunction with the Wynn's turbo and DPF Cleaner and Regenerator (Product No 31592)

WYNN'S PRODUCT CATALOGUE | 11







Dirty neglected Engine Oil System.



Well maintained Engine Oil System.



Neglected Engine Oil System deposit build up around piston & rings reducing efficiency.



Well maintained Engine Oil System - rings free to move improving compression.

REDUCE FRICTION AND WEAR **IMPROVE** FUEL ECONOMY **INCREASE** ENGINE CLEANLINESS

CLICK TO VIEW CONTENTS PAGE






27

FRICTION PROOFING

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 61810 | 325 ML | 24 |

Wynn's Friction Proofing is an engine lubricant supplement that improves oxidation resistance, corrosion control, and engine cleanliness while reducing friction wherever metal-to-metal contact occurs.



Friction Proofing penetrates and bonds to metal surfaces.





ENGINE FLUSH

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 65901 | 325 ML | 24 |

Wynn's Engine Flush is a pre-oil change engine flush that internally cleans vital engine parts, removing harmful deposits, sludge and varnish that impede oil flow.

Wynn's Engine Flush is specially designed to gently dissolve and remove internal engine contaminants by suspending them in a high level of dispersants. Wynn's Engine Flush formula provides a high degree of protection to the engine components, seals and gaskets.

PROPERTIES

- Reduce friction and wear
- Prolong oil life
- Bonds to metal surfaces
- Reduce engine sludge and varnish build up
- Protect engines at start-up and extreme conditions
- Improve oil performance during extended oil drain intervals
- Reduce oil oxidation and thickening
- Increase rust and corrosion protection

APPLICATIONS

- Wynn's Friction Proofing is suitable for all Petrol, LPG and Diesel engines
- It is compatible with all commercial engine oils and is ideal for all normally aspirated or turbocharged engines

PROPERTIES

- Contains effective cleaners that remove sludge and varnish
- Suspends and removes deposits for improved lubrication
- Protects metal parts from harmful contaminants between oil changes
- Maintains oil protection and reduces new oil contamination
- Promotes a more complete draining of used oil
- Reduces oil consumption resulting from blocked oil drain return holes
- Dissolves old highly oxidised oil

APPLICATIONS

Wynn's Engine Flush is suitable for all petrol and LPG engines in cars and trucks and small diesel engines.





97

DIESEL ENGINE FLUSH

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 67001 | 325 ML | 24 |

Wynn's Diesel Engine Flush is a pre-oil change diesel engine flush that cleans vital engine parts, removing harmful deposits, sludge, soot and varnish that impede oil flow. The dispersants deliver excellent pollution control which is needed in diesel engines operating under harsh conditions.

PROPERTIES

- Contains effective cleaners that remove sludge and varnish
- Suspends and removes deposits for improved lubrication
- Protects metal parts from harmful contaminants between oil changes
- Maintains oil protection and reduces new oil contamination
- Promotes a more complete draining of used oil
- Reduces oil consumption resulting from blocked oil drain return holes
- Dissolves old highly oxidised oil

APPLICATIONS

- Wynn's Diesel Engine Flush is suitable for a wide range of diesel engines; from small cars to light commercials and trucks
- Wynn's Diesel Engine Flush treats sump capacities from 6 to 18 Litres





HIGH PERFORMANCE LUBRICANT SUPPLEMENT

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 59419 | 125 ML | 24 |

Wynn's High Performance Lubricant Supplement is formulated to improve the performance and service life of extreme pressure gear oils.

PROPERTIES

- Reduce friction and wear
- Improve lubricant anti-scoring resistance
- Reduce gear oil temperature
- Quieten gear and bearing noises
- Provides increased corrosion control

APPLICATIONS

- Wynn's High Performance Lubricant Supplement is particularly suited to heavily loaded automotive transmissions, differentials, final drives and oil filled hubs of heavy duty fleet/transport vehicles and trailers
- Wynn's High Performance Lubricant Supplement can also be used in industrial gearboxes using extreme pressure or industrial gear oils





927.

HYDRAULIC LIFTER TREATMENT

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 51144 | 325 ML | 24 |

Wynn's Hydraulic Lifter Treatment is a lubricating oil additive that quickly quietens down noisy lifters and restores engine performance and power.

Wynn's Hydraulic Lifter Treatment helps maintain engine performance by oiling the hydraulic valve lifters to eliminate the need for valve clearance adjustments caused by normal wear.

Wynn's Hydraulic Lifter Treatment dissolves gums and varnish deposits in the oil galleries to free sticking lifters and moving engine parts.

PROPERTIES

- Quietens down noisy lifters
- Does not contain lead or copper
- Compatible with common mineral and synthetic engine oils
- Restores engine performance and lost power
 Improves fuel consumption
- Fights engine varnish and sludge

APPLICATIONS

Wynn's Hydraulic Lifter Treatment is suitable for Petrol, Diesel and LPG engines with and without turbochargers

T.

WORN ENGINE TREATMENT

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 67301 | 325 ML | 24 |

Wynn's Worn Engine Treatment is formulated to stop exhaust smoke due to oil burning, and for sealing the gaps between worn internal moving engine parts that cause exhaust smoke.

Wynn's Worn Engine Treatment quietens most engine noise by providing extra lubrication protection where required.

PROPERTIES

- Maintains oil pressure at high temperatures
- Reduces oil consumption and exhaust smoke due to oil bypassing worn cylinder rings
- Improves performance on worn engines
- Improves fuel combustion
- Improves lubrication
- Reduces sludge and varnish formation
- Inhibits corrosion

APPLICATIONS

Wynn's Worn Engine Treatment is suitable for all petrol, LPG and four-stroke diesel engines in cars and trucks. It is not suitable for two-stroke diesel engines

ROFESSIONAL FORMULA

(Wynn's)





4 M

ENGINE SEALANT

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 50677 | 325 ML | 24 |

Wynn's Engine Sealant maintains excellent engine oil fluidity during low temperature starts. It will not reduce pumpability or cold-cranking ability below freezing temperatures.

Wynn's Engine Sealant improves the viscosity index and high temperature viscosity to reduce oil seepage caused by loss of oil viscosity. It controls internal oil consumption while it conditions, and gently swells rubber seals and gaskets to stop and prevent oil leaks.

PROPERTIES

- Provides longer lasting effect than general products for the same application
- Reduces oil loss from external leaks and internal consumption
- Conditions and gently swell rubber seals and gaskets, to stop and prevent external oil leaks
- Improves Viscosity Index and high temperature oil viscosity, to control internal oil consumption
- Maintains excellent engine oil fluidity at low temperatures

APPLICATIONS

Wynn's Engine Sealant is suitable for all four stroke petrol and diesel engines

27



LS DIFFERENTIAL FRICTION MODIFIER

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 64101 | 125 ML | 24 |

Wynn's LS Differential Friction Modifier is a differential oil supplement formulated to enhance limited slip performance of the rear axle.

The addition of Wynn's LS Differential Friction Modifier to a standard size axle enhances the protection of gear parts and reduces or eliminates chattering.

PROPERTIES

- Enhances limited slip performance of rear axles
- Eliminates chatter in limited slip differentials
- Enhances the protection of gear components
- Eliminates the need to stock multiple gear oils

APPLICATIONS

Wynn's LS Differential Friction Modifier is recommended for use in rear wheel drive passenger cars, light commercial vehicles and trucks, and sport utility vehicles equipped with limited slip differentials



PROFESSIONAL RANGE



FORMULATED TO OUT PERFORM **SUITABLE** FOR INDUSTRIAL AND FLEET APPLICATIONS **LONGER** INTERVALS BETWEEN GREASING

GREASE Products







ULTRA HI-TEMP GREASE

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-------------|------------|
| 55580 | 450 G | 12 |
| 55581 | 2.5 KG TUB | 2 |
| 55582 | 20 KG PAIL | 1 |
| 55583 | 180 KG DRUM | 1 |

Wynn's Ultra Hi-Temp Grease is a multi-functional lithium soap complex based NLGI-2 grease combined with the unique Wynn's Friction Proofing® Package, that is suitable for use over a wide range of applications particularly suited to industry, fleet, and plant including transport, agriculture, mining and marine in the heavily loaded, extreme pressure, high wear conditions.

Formulated to extend component life and provide additional lubrication by bonding to metal surfaces and reducing friction.

PROPERTIES

- Temperature range of -20°C to 200°C
- 620kg four ball wield load rating.
- NLGI Grade No: 2 consistency, This grease is a lithium complex thickened, ruby red colour.
- Maximum structure temperature 2300C.
- Continuous operating temperature range -20°C to 180°C and up to 200°C intermittently.
- Displays extremely good resistance to water washout.
- Resists breakdown as a result of mechanical action.
- Increases wheel & journal bearing life.
- Prevents operating temperatures escalating under high load conditions.
- Prevents rust & corrosion of metallic components under humid & wet conditions.
- Prevents scuffing & galling through extreme-pressure & anti-wear properties.
- Allows longer intervals between greasing.
- Provides high extreme-pressure properties.

APPLICATIONS

- Wynn's Ultra Hi-Temp Grease is suitable for industrial and automotive bearings, grease lubricated journal bearings, flexible gear couplings, shackles and torsion bars, oscillating bucket pins, lubrication of chassis components, clutch bearings and drive line bearings, cams, ways and sliding elements.
- It is also suitable for kingpins and bushes, walking beams, universal joints, ring feeders, turn tables and slack adjusters

PREVENT RUST & CORROSION OF METALLIC COMPONENTS UNDER **HUMID & WET CONDITIONS**.

GREASE Products







MULTIFLEET GREASE

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 51045 | 450 G | 20 |
| 51020 | 20 KG | 1 |

Wynn's Multifleet Grease, containing the unique Wynn's Friction Proofing[®] package, is formulated to NLGI Grade No. 3 consistency for heavyduty and extreme-pressure applications within the transport, earthmoving, marine, rural and mining industries. Wynn's Multifleet Grease is a lithium soap thickened grease that provides high adhesion, water wash resistance, extreme shock load protection, high thermal and oxidation stability.

PROPERTIES

- Protects all moving parts from shock loadings
- Prevents scuffing and reduces wear
- Extends ball joint life
- High shear stability
- Resistance to mechanical shear
- Maintains grease consistency for extended lubrication service

APPLICATIONS

- Wynn's Multifleet Grease is suitable for rural, mining and marine use, including tractors, pumps, mowers, harvesters, trucks, trailers, tillers, seeders, deck winches, drill rigs, excavators, shovels, dump trucks, jaw crushers, conveyors, and dozers
- It is also suitable for shackles, torsion bars, universal joints, brake arms, turntables, general chassis points, bucket pins, slides, cams and gears
- Wynn's Multifleet Grease is compatible with most lithium soap thickened greases

FORMULATED TO **NLGI GRADE NO. 3** CONSISTENCY FOR **HEAVY DUTY** AND **EXTREME PRESSURE** APPLICATIONS.

GREASE Products







VARIPLEX MOLY GREASE

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 80319 | 450 G | 20 |
| 80321 | 20 KG | 1 |

Wynn's Variplex Moly Grease, containing the unique Wynn's Friction Proofing[®] package, is a multi-purpose and broad temperature-range lubricating grease designed for industrial and automotive applications.

PROPERTIES

- High fluid-film strength in bearing applications
- Reduces industrial plant grease inventories and application equipment
- Exceptional shear stability that extends lubrication intervals
- Resists water washout in bearing and flat surface applications
- Adherent, stays in place, and will not drip or throw-off
- Meets the requirements of NLGI Grade No. 2
- Separates opposing metal surfaces to reduce wear
- Provides protection over a wide range of operating temperatures
- Reduces operating temperatures under high load conditions

APPLICATIONS

- Wynn's Variplex Moly Grease is recommended for plain, ball and roller bearings, and other applications requiring grease lubrication, including truck, buses, agricultural, marine, industrial and construction equipment
- Wynn's Variplex Moly Grease is compatible with most lithium soap thickened greases

PROVIDES MUCH **HIGHER TEMPERATURE TOLERANCE** AND **STABILITY** THAN ORDINARY GREASE.





RE-VITALISE COOLING SYSTEM PROTECT AGAINST CLIMATE EXTREMES EFFICIENCY AND PERFORMANCE

CLICK TO VIEW CONTENTS PAGE

WYNN'S PRODUCT CATALOGUE | 21

COOLING PRODUCTS











HEAVY DUTY ENGINE COOLANT

| PRODUCT | PRODUCT Code | PACK Size | CARTON QTY |
|----------------------|-----------------|--------------|---------------|
| GREEN Concentrate | 52520 | 20 L | 1 |
| RED Concentrate | 53520 | 20 L | 1 |
| BLUE Concentrate | 53512 | 20 L | 1 |

Wynn's Heavy Duty Engine Coolant has been designed to meet the demanding requirements of modern cooling systems, including the rigorous requirements of the majority of OEM's.

PROPERTIES

- 10 years or 1,000,000 km service life (whichever comes first) when used as recommended
- Anti-boil protection
- Corrosion protection
- Anti-freeze protection
- Does not contain: Phosphates, Borates, Silicates, Amines, Nitrates or Tannins

APPLICATIONS

- Wynn's Heavy Duty Engine Coolant has been formulated for use in the cooling systems of petrol and diesel engines of cars, trucks, buses, off-road equipment, stationary engines and ships
- Wynn's Heavy Duty Engine Coolant exceeds the performance requirements of the Australian and New Zealand Standard AS/NZS 2108.1:2004 as a "TYPE A" coolant





Radiator using coolant vs radiatior using water

COOLING PRODUCTS





(Wynn's)



RADIATOR SYSTEM FLUSH KIT

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|--|------------|
| 10197 | 1 X 65010 (325 ML) 1 X 68627 (325 ML) | 6 |

Wynn's Radiator Flush & De-Oiler (Product No 65010) has been formulated to thoroughly clean all automotive cooling systems. It removes sludge, deposits, scale, rust and oil from the cooling system, and restores optimum cooling system efficiency.

Wynn's Radiator Sealant Product No 68627) is a premium water-based formula that prevents and seals external leaks in the cooling system and prevents head gasket seepage.

PROPERTIES

- Removes scale
- Removes oil & grease deposits
- Removes rust & debris
- Cleans cooling systems quickly & safely
- Restores coolant flow and heat transfer efficiencySafe for rubber hoses, seals and all metals in the
- cooling systemProtects aluminium, alloy and cast iron against corrosion.
- Combats harmful electrolysis
- Protects all cooling system parts against rust corrosion and scale formation
- Extends corrosion protection of cooling systems
- Prevents erosion corrosion of alloy water pumps and cylinder walls
- Prolongs cooling system life

APPLICATIONS

- Recommended for "water" cooled systems of all petrol and diesel engines
- Recommended for use when changing the cooling system fluid (follow manufacturer's recommendations)
- Extremely effective when trying to remove oil from the cooling system
- Particularly effective when cleaning older cooling systems

DIRECTIONS

• Apply Wynn's Radiator Flush & De-Oiler as per the vehicle manufacturer's recommended flushing procedures

FORMULATED TO THOROUGHLY CLEAN AND RESTORE OPTIMUM COOLING SYSTEM EFFICIENCY.





AEROSOLS

MAXIMISE PERFORMANCE Improve Longevity of Machinery & Vehicles Minimise Common Problems in Vehicles

CLICK TO VIEW CONTENTS PAGE

AEROSOL Products







THROTTLE BODY AND CARBY CLEANER

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 54211 | 840 ML | 12 |

Wynn's Throttle Body and Carby Cleaner is professionally formulated to safely remove gum and varnish from air throttle plates and throttle plate shafts.

Wynn's Throttle Body and Carby Cleaner helps restore engine performance by quickly removing gums and varnishes from the carburettor and restoring carburettor efficiency without the need to dismantle.

PROPERTIES

- Restores fuel economy and engine performance
- Safely blasts away gum and varnish deposits
- Cleans throttle plates and throttle plate shafts
- Improves air flow for smoother idling
- Restore fuel economy
- Protects against rust and corrosion
- Dissolves internal and external carburettor deposits
- Frees sticking crankcase ventilation valves
- Safe for oxygen sensors and catalytic convertors

APPLICATIONS

Suitable for all petrol fuel systems and is ideal for cars, trucks, tractors, earthmoving equipment and farm machinery.

Interest of the second second

| _ | ł | |
|---|---|--|
| C | ß | |

BRAKE CLEANER

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|----------------|------------|
| 62911 | 538 G / 840 ML | 12 |

Wynn's Non-Chlorinated Brake Cleaner removes brake fluid, grease and brake dust quickly and safely, leaving no residue. It's a low-toxicity nonchlorinated solvent that is also ideal for parts and electrical contacts.

PROPERTIES

- Does not contain chlorinated solvents
- Removes brake fluid, grease and oil
- Suitable for disc and drum brakes
- Helps stop brake squeal
- Short drying time
- Cleans tools and parts quickly
- Removes brake lining dust without disassembly
- Safely cleans electrical components
- Improves brake performance
- Leaves no residue

APPLICATIONS

- Wynn's Brake Cleaner is recommended for cleaning of brake components including, brake linings, rotors, disc pads and drums
- Wynn's Non-Chlorinated Brake Cleaner safely cleans and degreases electrical starter motors, brake components, electric terminals, tools and other workshop equipment when they are not electrically energised

AEROSOL Products







VISCOTENE FG

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 79880 | 375 ML | 12 |

Wynn's Viscotene FG is a semi-synthetic lubricant displaying tenacious resistance to water wash-off, chemical attack and steam exposure. It contains extremely tacky polymers of very high viscosity index, high film-strength surfaceactive compounds, oxidation and corrosion inhibitors. This, combined with the Wynn's Friction Proofing[®] package of extreme pressure compounds, significantly reduces the possibility of extreme wear, seizing and at worst, failure of the lubricated components.

PROPERTIES

- Overall wear reduction
- Reduced corrosion and water wash out
- Increased lubrication intervals
- Reduces spattering and noise
- Performs well under a broad range of operating temperatures

APPLICATIONS

- Wynn's Viscotene FG is a multi-functional lubricant and may be used in:
- Conveyor systems, open gears, chains, belts and elevators
- Wire ropes and blocks
- Hydraulic press guide columns
- Open sprockets and chains on concrete mixers
- Constant velocity joints
- Chain drive of bicycles, motorcycles and chainsaws
- Machine tool lead screws, ways and tables
- Any general lubrication exposed to water, steam or chemicals
- Suitable for use in the construction, transport, marine, rural and all manufacturing industries
- AsureQuality approved for incidental food contact





RUST PENETRANT

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|----------------|------------|
| 31040 | 400 G / 550 ML | 12 |

Wynn's Rust Penetrant is an all-purpose aerosol spray lubricant that stops squeaks to give a return to smooth and quiet operations.

PROPERTIES

- Quickly loosens corroded parts
- Cleans various surfaces
- Lubricates moving parts
- Stops squeaks
- Protects from rust and corrosion
- Repels moisture to help prevent damage
- Penetrates corrosion to help free rusted part

APPLICATIONS

Wynn's Rust Penetrant is ideal for tools, machinery, marine parts, lawnmowers and farm implements

AEROSOL Products



UUUINISOUAL COMMUNICATION DECEMBENTAL COMMUN

Industrial Strength Formulation Spray On, Hose Off 441g / adomi

wynn's

FESSIONAL FORMULA

Silicone

Lube

ULTI-PURPOSE LUBRICAN

ricates, Waterproof & Protects

Eliminates Squeaks

Safe To Use On

Rubber & Plastic

290a / 550ml



MULTI-PURPOSE DEGREASER

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|----------------|------------|
| 66911 | 641 G / 840 ML | 12 |

Wynn's Multi-Purpose Degreaser is designed to remove oil and grease from engines, alloy wheels, boats, trailers, bikes, lawn mowers, garage floors, paths and driveways.

PROPERTIES

- Large 840mL can
- Industrial strength formulation
- Dissolves oil and grease
- Easy and safe to use in most applications
- Spray on and hose-off with water
- Provides protection over a wide range of operating temperatures
- Reduces operating temperatures under high load conditions

APPLICATIONS

Wynn's Multi-Purpose Degreaser is suitable for cars, boats, trailers and barbecues

| SILICONE | LUBE | |
|--------------|----------------|---|
| PRODUCT CODE | PACK SIZE | C |
| 52850 | 290 G / 550 ML | |

Wynn's Silicone Lube is a unique blend of silicone oils, spreading and penetrating agents, and special solvents that are non-flammable. Minute film of Wynn's Silicone Lube lowers the static co-efficient of friction force and prevents stick-slip operation. As it leaves a relatively dry surface after application, work pieces or surrounds which would normally be sensitive to ordinary lubricating oil residue, remain free of contamination.

PROPERTIES

- Lubricates metals, plastics, wood, thread, fabrics, paper and numerous other materials
- Non-gumming, non-staining, non-oxidising, and non-flammable
- Prevents corrosion
- Prevents adhesion
- Functions as excellent release or parting agent
- Controls static electricity
- Repels water

ARTON QTY

12

APPLICATIONS

Wynn's Silicone Lube is suitable for numerous purposes, including sewing machines, windows, drawers, zippers, scissors, saws, perforators, hinges, locks, conveyors, contactors and circuit breakers, conduits and cable harnesses, and electrical equipment exposed to humid environments





A/C

ELIMINATE MICRO-ORGANISMS PROTECT AIR-CONDITIONING SYSTEM THOROUGH SYSTEM CLEANING

AIR CONDITIONING PRODUCTS





Wynn's Airco-Clean[®] is a concentrated waterbased non-toxic solution, formulated to clean and deodorise the Heating, Ventilation and Air-Conditioning system (HVAC) and vehicle interiors.

PROPERTIES

- Eliminates micro-organisms such as fungi, bacteria, mold and mildew
- Removes pollen and tobacco residues
- Eliminates unpleasant odours
- Removes dirt from the air-conditioning evaporatorEliminates stale vehicle interior odours in general
- Eliminates most odours in the carpeting upholstery and headliner

APPLICATIONS

- Designed to be used with the Wynn's Aircomatic[®]III machine (Product No 68480)
- Wynn's Aircomatic®III machine is also ideal for reconditioning used vehicles

SAY GOODBYE TO STALE AIR & BAD ODOURS.


WYNN'S Air conditioning service kills microorganisms and protects the air-conditioning systems from contamination for extended periods of time, reducing the harmful side effects to you.

THE PROBLEM

The moist, dark environment inside the air conditioning system provides the ideal conditions for the growth of micro organisms. Dust and pollen carried along by the air are the ideal medium for a huge growth of bacteria. When the air conditioning is switched on these micro organisms are blown into the passenger compartment and are inhaled by the passengers.

THE SOLUTION

Wynn's Aircon Service uses ultrasonic technology to atomise the Airco Clean liquid into a fine mist that circulates through the HVAC system to kill mould and bacteria growing on the evaporator surface and refreshes the air ducts and the passenger compartment.



AIR CONDITIONING PRODUCTS





| A/C AIR PURIFIER | | |
|---------------------|-----------|------------|
| PRODUCT CODE | PACK SIZE | CARTON QTY |
| 31705 | 60 ML | 12 |

Wynn's Air Purifier instantly removes bad smells like cigarette smoke, pet smell, body odours, garbage, onion, garlic, food smells, spilled food, vomit, smell of mildew, damp and wet clothing.

Formulated for use with the Wynn's Aircomatic[®]III service machine (Product No 68480).

PROPERTIES

- Long lasting effect by means of the molecular technology which neutralises the smell molecules
- Does not mask the smell but eliminates it
- Removes bad smells from fabrics on furniture, seats in cars, trucks and caravans, carpets and curtains
- Leaves a fresh delicate perfume
- Does not leave stains

APPLICATIONS

- Is a water-based, non-toxic, non-flammable, readyto-use deodorizer formulated for exclusive use with the Wynn's Aircomatic[®] service machine
- Due to the fine nebulisation in the Wynn's Aircomatic[®] III the entire space is treated

ELIMINATE BACTERIAL & FUNGAL GROWTH, AS WELL AS **FRESHEN** AND **REMOVE** ODOURS FROM VEHICLE INTERIOR.

AIR CONDITIONING PRODUCTS





solution in an aerosol form, that is designed to remove the odours, bacterial and fungal growth caused by mold, mildew and bacteria typically found in the vehicle's Heating, Ventilation and Air-Conditioning system (HVAC).

PROPERTIES

- Eliminates bacterial and fungal growth and associated odour
- Freshens and removes odours from vehicle interior surfaces
- Aerosol package that has locking nozzle for easy automatic dispensing
- Pleasant, mild vanilla perfume
- De-odorising aerosol fog circulates through the entire HVAC System
- Leaves the entire interior vehicle environment fresher and cleaner smelling
- Requires no tools or special applicators

APPLICATIONS

Suitable for carpeting, headliner and upholstery and to freshen the vehicle interior in general

FRESHEN & REMOVE ODOURS FROM VEHICLE INTERIORS WHILST **ELIMINATING** BACTERIAL AND FUNGAL GROWTH.



AUTOMATIC TRANSMISSION

REMOVE CONTAMINATED FLUID **EXTEND** TRANSMISSION FLUID LIFE **PROLONG** THE LIFE OF TRANSMISSIONS

AUTOMATIC TRANSMISSION PRODUCTS





wynn's



TRANSMISSION FLUSH KIT

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|--|------------|
| 10210 | 1 X 64506 (325 ML) 1 X 64401 (325 ML) | 6 |

Wynn's Transmission Flush Kit, containing Wynn's Automatic Transmission Treatment (Product No 64506) and Wynn's Automatic Transmission Flush (Product No 64401). Together provide anti-wear protection to prevent costly repairs and extend the life of the Transmission.

Wynn's Automatic Transmission Flush Service is not designed for Continuously Variable Transmission (CVT) which requires different frictional characteristics.

PROPERTIES

Radiator Flush

- Enhances extreme pressure and anti-wear protection
- Protects against metal-to-metal friction
- Reduces Fluid Oxidation
- Cleans all internal transmission components and safely removes varnish deposits and harmful sludge
- Prepares transmission for new fluid
- Helps smooth rough and hard shifting problems
- Avoids messy transmission fluid drain and fill services

Radiator Treatment

- Maintains new seal ability over a longer interval
- Supplements seal swell properties of drainable used fluid during a fluid change
- Maintains automatic transmission cleanliness
- Provides additional protection to automatic transmissions operating under high temperature conditions, such as trailer towing
- Increases the life of automatic transmission fluids

APPLICATIONS

- Wynn's Automatic Transmission Flush Service is compatible with all automatic transmission fluids
- Wynn's Automatic Transmission Flush Service is not designed for Continuously Variable Transmission (CVT) which requires different frictional characteristics
- Wynn's Automatic Transmission Flush is formulated for use in conjunction with the Wynn's TranSERVE® Automatic Transmission Flush and Fill Machine (Product No. 68441)

REVITALISE AND EXTEND THE LIFE OF TRANSMISSIONS, WHILE **AVOIDING COSTLY REPAIRS**.

AUTOMATIC TRANSMISSION PRODUCTS







CVT TRANSMISSION Flush kit

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|--|------------|
| 10310 | 1 X 66001 (325 ML) 1 X 64401 (325 ML) | 6 |

Wynn's CVT Transmission Flush Kit, containing Wynn's CVT Enhancer (Product No 66001) and Wynn's Automatic Transmission Flush (Product No 64401) has been developed to provide anti-wear protection to prevent costly repairs and extend the life of the Transmission. Wynn's CVT Transmission Flush Kit is suitable for Continuously Variable Transmission (CVT) only.

PROPERTIES

- Enhances extreme pressure and anti-wear protection
- Protects against metal-to-metal friction
- Eliminates Shudder
- Reduces Fluid Oxidation
- Safely removes varnish deposits and harmful sludge
- Cleans all internal transmission components
- Safely removes wear metal and moisture contaminants
- Prepares transmission for new fluid
- Helps smooth rough and hard shifting problems
- Avoids messy transmission fluid drain and fill services

APPLICATIONS

- Wynn's CVT Transmission Flush Kit is suitable for Continuously Variable Transmission (CVT) only
- Wynn's Automatic Transmission Flush is formulated for use in conjunction with the Wynn's TranSERVE® Automatic Transmission Flush and Fill Machine (Product No. 68441)

THE PROBLEM

- Over 90% of all Automatic Transmission failures are due to overheating and fluid contamination
- A typical transmission drain-and-refill service replaces only 40% of the old contaminated ATF
- The remaining ATF is trapped inside valve bodies, the torque converter and transmission cooler lines



Dirty Torque Converter



Clean Torque Converter

THE SOLUTION

WYNN'S® Transmission Service:

- Removes over 95% of the used contaminated fluid
- Utilizes a specially formulated transmission cleaning chemistry that safely removes harmful sludge and varnish deposits, which are removed with the old fluid
- Avoid costly repairs and prolong the life of transmissions
- Extend transmission fluid life
- No more rough or hard shifting problems
- Revitalised seals and O-rings to help stop and prevent leaks
- Wynn's unique Transmission Service equipment carries multiple patents and is approved by major motor vehicle manufacturers



POWER STEERING

RESTORE SYSTEM PERFORMANCE **EXTEND** THE LIFE OF POWER STEERING COMPONENTS **REDUCE** WEAR AND NOISE

CLICK TO VIEW CONTENTS PAGE

WYNN'S PRODUCT CATALOGUE | 35

POWER STEERING PRODUCTS







POWER STEERING FLUSH KIT

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|--|------------|
| 10091 | 1 X 77511 (325 ML) 1 X 62409 (325 ML) | 6 |

Wynn's Power Steering Flush Kit is a combination of Power Steering Treatment (Product No 77511) and Power Steering Flush (Product No 62409), designed to clean, condition and prepare the system for replacement of the worn components.

PROPERTIES

- Removes harmful power steering system deposits and impurities
- Conditions and revitalise power steering system seals, and helps stop and prevent leaks
- Revitalises power steering system performance
- Reduces wear and noise
- Helps prevent internal power steering fluid leakage from developing
- Resists water contamination
- Helps extend the life of power steering components

APPLICATIONS

Wynn's Power Steering Flush Kit is recommended for all power steering systems using conventional power steering fluids. Consult vehicle owner's manual for fluid compatibility

Wynn's Power Steering Flush Kit is formulated to be used in conjunction with the Wynn's Power Steering Flush Machine (Product No. 22001)

THE PROBLEM

Old and neglected power steering fluid compromises the performance of the power steering system. It can cause noise, increase steering effort, reduce steering effectiveness and harden seals, resulting in leaks and expensive repairs

Common problems include:

- Heavy Steering
- Noisy operation
- Leaks
- Shudder
- Component failure

THE SOLUTION

Using Wynn's Power Steering Flush machine, the power steering system will be thoroughly cleaned and flushed, and with the addition of Wynn's Power Steering Treatment to the new fluid, steering performance will be fully restored Whether weaving through city streets or driving in the country, Power Steering fluid is under a constant heavy workload. This results in a build up of sludge and varnish, which left untreated can lead to potentially expensive repairs.





POWER STEERING PRODUCTS





POWER STEERING SUPPLEMENT

| PRODUCT CODE | PACK SIZE | CARTON QTY |
|--------------|-----------|------------|
| 64805 | 126 ML | 24 |

Wynn's Power Steering Supplement protects power steering systems from rust, corrosion, wear and seal leakage. It also provides the fluid itself with additional protection from oxidation.

Wynn's Power Steering Supplement is formulated to help quieten noisy power steering pumps and to revitalise seals and O-rings. It also helps stop and prevent seal leaks, and to extend power steering fluid life.

PROPERTIES

- Help quieten noisy power steering pumps
- Revitalise seals and O-rings
- Stop and prevent seal leaks
- Extend power steering fluid life

APPLICATIONS

- Wynn's Power Steering Supplement is suitable for use in most conventional and automatic transmission fluidbased power steering fluids recommended by vehicle manufacturers (including synthetic and semi-synthetic power steering fluids). Wynn's Power Steering Supplement is not recommended for systems requiring specialty or non-petroleum based synthetic fluids.
- One 126mL tube of Wynn's Power Steering Supplement will treat up to 2 Litres of power steering fluid (one tube per service)

PROTECT POWER STEERING SYSTEMS FROM **RUST**, **CORROSION**, **WEAR AND SEAL LEAKAGE**.



PROFESSIONAL RANGE

MACHINES

ENSURE OPTIMAL SYSTEM PERFORMANCE PROFESSIONAL EQUIPMENT AND CHEMICAL SOLUTIONS EFFICIENT AND COST-EFFECTIVE SOLUTIONS FOR THE MODERN WORKSHOP



PROFESSIONAL RANGE



| × | |
|--------------|------------|
| MULTISERVE® | |
| PRODUCT CODE | CARTON QTY |
| 68443 | 1 |

Wynn's MultiSERVE[®] is a 12 V multifunctional service machine that operates independently to effectively clean the fuel injection system, air intake, turbo and DPF of a vehicle. It can be used for diesel and petrol engines without disassembly of parts and while the engine is running.

FOR BEST RESULTS, USE WITH:



PROPERTIES

- Wynn's MultiSERVE® contains 4 cleaning programs
 Fuel Injection System Treatment
 - Fuel Injection System Tre
 - Air intake Treatment
 - Turbo Treatment
 - DPF Treatment
- Pressure can be adjusted to suit any type of injection system
- After the pressure has been set (between 0 and 6 bar) the regulation is done automatically by a special regulator
- Treatment time can be adjusted from 0 to 90 mins (graduation of 1 mins)
- Automatic stop after treatment time
- Automatic stop at minimum fluid level
- Fast couplings on hoses
- Can be switched off at any time during the treatment

APPLICATIONS

- Can be connected to all petrol injection systems (carburettor, K-, KE-, L-, LE-, LH-, Mono-jetronic, Motronic, Renix, direct injection, etc.) and diesel engines (pre-chamber and direct injection, common rail, injection-pump unit).
- Suitable for passenger cars and trucks, marine and stationary engines.
- Wynn's MultiSERVE[®] can be connected to diesel engines (pre-chamber and direct injection, common rail, injection-pump unit).

For exclusive use with:

- Wynn's Diesel Induction System Cleaner (23405, 23401)
- Wynn's Diesel System Purge (15405, 15401)
- Wynn's Diesel Turbo Serve (38295)
- Wynn's DPF Cleaner (18764)
- Wynn's DPF Flush (18774)
- Wynn's DPF Cleaner and Regenerator (31592)
- Wynn's Premium Fuel System kit (10677)



PROFESSIONAL RANGE



| × | |
|--------------|--------------|
| COOLANT EXCH | ANGE MACHINE |
| PRODUCT CODE | CARTON QTY |

| PRODUCT CODE | CARTON QTY |
|--------------|------------|
| 68435 | 1 |
| | |

The Wynn's Coolant Exchange Machine helps extend the life of the cooling system components by keeping it clean and functioning as efficiently as possible. When used with corresponding Wynn's products, the Coolant Exchange Machine helps facilitate dissolving harmful deposits, suspending them in old coolant for easy removal.

PROPERTIES

- Disconnection is performed with coolant at ambient temperature
- Coolant system pressure relief feature for safe access to cooling systems
- Built-in loop mode
- Automatic shut-off upon service completion
- EVAC feature for easy fluid removal in overflow tank
- Quick-connect adapter system
- Convenient and portable
- Can exchange the fluid whilst the engine is off

APPLICATIONS

- Use in conjunction with Wynn's Radiator System Flush Kit (Product No. 10197)
- Wynn's Coolant Exchange Machine is suitable for use with all passenger cars and trucks, marine and stationary engines that use radiator coolant

FOR BEST RESULTS, USE WITH:





PROFESSIONAL RANGE





TRANSERVE® AUTOMATIC TRANSMISSION FLUSH AND FILL MACHINE

| PRODUCT CODE | CARTON QTY |
|--------------|------------|
| 68441 | 1 |

Wynn's TranSERVE® Automatic Transmission Flush and Fill Machine is a 12V service machine that operates from the vehicle's battery to simply and effectively flush and exchange the fluid of the automatic transmission.

The machine automatically detects the correct flow direction and has the ability to remove over 90% of the old ATF compared to only 30%-35% with a classic drain and fill.

PROPERTIES

- Has 4 different functions, including ATF exchange, ATF top up, ATF drain and adding additive.
- Cleans and removes sludge, contaminants and exhausted fluid from the transmission, torque converter and cooler
- Automatic flow rectifier directs flow to/from transmission automatically
- Automatically adds the same amount of new ATF as is removed from the vehicle, without monitoring or adjustments
- Enables lowering of pan level for safer transmission filter service
- Easy fluid makeup or product injection using additive tank
- Drip-less quick-connect adaptors to fit most applications

APPLICATIONS

- Use in conjunction with the Wynn's Automatic Transmission Flush Kit & CVT Kit
- Recommended when changing ATF of automatic transmission or when experiencing shifting problems, fluctuating RPM or not retaining the correct gear
- For all types of cars with automatic transmission
- Not to be used on high-pressure systems of buses, trucks, bulldozers, etc

FOR BEST RESULTS, USE WITH:





PROFESSIONAL RANGE





POWER STEERING FLUSH MACHINE

| PRODUCT CODE | CARTON QTY |
|--------------|------------|
| 22001 | 1 |

The Wynn's Power Steering Flush Machine allows for routine servicing of the power steering fluid system, extending component life, maintaining peak performance and reducing expensive repairs.

PROPERTIES

- Patented, Drainage and Refill process through the Steering Fluid Reservoir
- Dual Pumps of separation of old and new fluid
- Dual service hoses for increased exchange efficiency
- New waste fluid On/Off switches
- For use with Wynn's Power Steering products
- Fully portable, lightweight unit is contained in a durable plastic carrying case and operates on 12V DC power (vehicle battery)
- Perform a service from anywhere the vehicle is

APPLICATIONS

- Use in conjunction with Wynn's Power Steering Flush Kit (Product No. 10091)
- Wynn's Power Steering Flush Machine is suitable for all automotive vehicles with power steering systems using conventional power steering fluids


FOR BEST RESULTS, USE WITH:







PROFESSIONAL RANGE



Wynn's Aircomatic[®] with ozone generator is designed for the removal and prevention of bad odours in air-conditioning systems and vehicle interiors when used with the associated additives.

PROPERTIES

- Easy to use, no supervision necessary during treatment
- 12V DC cigarette lighter connection
- Completely safe in use

APPLICATIONS

- Treatment 1 Nebulisation of Wynn's Airco-Clean Ultrasonic (30205): To kill bacteria in the airconditioning system which cause bad odours in cars, trucks and buses.
- Treatment 2 Nebulisation of Wynn's Air Purifier (31705): To stop bad odours in the interior of cars, trucks (also trunks)
- Treatment 3 Generation of ozone (long or short period) followed by nebulisation of Wynn's Air Purifier: To stop severe odours in the interior of cars and trucks

FOR BEST RESULTS, USE WITH:



REMOVE AND **PREVENT BAD ODOURS**, AS WELL AS **KILL BACTERIA** IN VEHICLE INTERIORS.



wynns.net.au